FAQs - ECOPLIANT Database (DB) v1 080715

Miles anneath that are striking for the	
Who currently has responsibility for it?	Market Surveillance, Energy Efficiency and
	Affordability Division. Department of
	Communications, Energy & Natural
	Resources. Ireland
Who is the contact there?	Gary.Brazil@dcenr.gov.ie
Can PROSAFE examine the database in its	Yes – Chris Evans (CEv) has been registered
current form?	as a user by Gary, who is the administrator
	of the database
Can PROSAFE take over administering the	Yes – it is recommended that, once PROSAFE
database?	is ready to take over, they ask EASME to
	send an email to Gary authorising the
	transfer
What is the current status of the database?	 It is operational but only has fields
	for Ecodesign and not energy
	labelling
	 New MSAs can be added as users It is maintained by the Dublin based
	 It is maintained by the Dublin based contractor who built it (at a cost of
	contractor who built it (at a cost of 93kEur). The contractor has a
	maintenance contract of 20 days/yr
	paid up until October 2017
Who is the developer?	Gary is sending CEv the contact details and
	will inform them of the expectation of
	handover to PROSAFE.
What developments are required short-	 Gary is sending CEv a list of
term?	enhancements that has already been
	established as being necessary by
	the current users
	 Extra fields need to be added to
	 Extra fields need to be added to cover energy labelling
	cover energy labelling
	cover energy labelling NOTE: the budget for these would need to
What developments are required long-term?	cover energy labelling NOTE: the budget for these would need to come from EEPLIANT. The cost of this is not
What developments are required long-term?	cover energy labelling NOTE: the budget for these would need to come from EEPLIANT. The cost of this is not known.
What developments are required long-term?	cover energy labelling NOTE: the budget for these would need to come from EEPLIANT. The cost of this is not known. All long-term developments are assumed to
What developments are required long-term?	cover energy labelling NOTE: the budget for these would need to come from EEPLIANT. The cost of this is not known. All long-term developments are assumed to be related to the possible integration with ICSMS. This has been examined in a business plan report that is in the final stages of
What developments are required long-term?	cover energy labelling NOTE: the budget for these would need to come from EEPLIANT. The cost of this is not known. All long-term developments are assumed to be related to the possible integration with ICSMS. This has been examined in a business plan report that is in the final stages of approval. CEv expects to receive a copy for
What developments are required long-term?	cover energy labelling NOTE: the budget for these would need to come from EEPLIANT. The cost of this is not known. All long-term developments are assumed to be related to the possible integration with ICSMS. This has been examined in a business plan report that is in the final stages of
What developments are required long-term?	cover energy labelling NOTE: the budget for these would need to come from EEPLIANT. The cost of this is not known. All long-term developments are assumed to be related to the possible integration with ICSMS. This has been examined in a business plan report that is in the final stages of approval. CEv expects to receive a copy for PROSAFE by end of 07/15.
What developments are required long-term?	cover energy labelling NOTE: the budget for these would need to come from EEPLIANT. The cost of this is not known. All long-term developments are assumed to be related to the possible integration with ICSMS. This has been examined in a business plan report that is in the final stages of approval. CEv expects to receive a copy for PROSAFE by end of 07/15. NOTE: the budget for these would need to
	cover energy labelling NOTE: the budget for these would need to come from EEPLIANT. The cost of this is not known. All long-term developments are assumed to be related to the possible integration with ICSMS. This has been examined in a business plan report that is in the final stages of approval. CEv expects to receive a copy for PROSAFE by end of 07/15. NOTE: the budget for these would need to come from EEPLIANT
What developments are required long-term?	cover energy labelling NOTE: the budget for these would need to come from EEPLIANT. The cost of this is not known. All long-term developments are assumed to be related to the possible integration with ICSMS. This has been examined in a business plan report that is in the final stages of approval. CEv expects to receive a copy for PROSAFE by end of 07/15. NOTE: the budget for these would need to come from EEPLIANT Yes. CEv has a hard copy and will circulate
Is there a user guide for the DB?	cover energy labelling NOTE: the budget for these would need to come from EEPLIANT. The cost of this is not known. All long-term developments are assumed to be related to the possible integration with ICSMS. This has been examined in a business plan report that is in the final stages of approval. CEv expects to receive a copy for PROSAFE by end of 07/15. NOTE: the budget for these would need to come from EEPLIANT Yes. CEv has a hard copy and will circulate the pdf as soon as he receives it
Is there a user guide for the DB?	cover energy labelling NOTE: the budget for these would need to come from EEPLIANT. The cost of this is not known. All long-term developments are assumed to be related to the possible integration with ICSMS. This has been examined in a business plan report that is in the final stages of approval. CEv expects to receive a copy for PROSAFE by end of 07/15. NOTE: the budget for these would need to come from EEPLIANT Yes. CEv has a hard copy and will circulate the pdf as soon as he receives it Gary is sending CEv a copy
Is there a user guide for the DB?	cover energy labelling NOTE: the budget for these would need to come from EEPLIANT. The cost of this is not known. All long-term developments are assumed to be related to the possible integration with ICSMS. This has been examined in a business plan report that is in the final stages of approval. CEv expects to receive a copy for PROSAFE by end of 07/15. NOTE: the budget for these would need to come from EEPLIANT Yes. CEv has a hard copy and will circulate the pdf as soon as he receives it

	 do the required upgrading? (Fabio – is saying that WP4 are already asking for this)? Should PROSAFE appoint a dedicated database manager - since this is a project in itself?
Last thoughts from Gary	Strong recommendation from Gary to do
	User Acceptance Testing of any alts to DB